

EAST Search History

L16	19	"707".clas. and "know-how" with (problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:08
L15	272	"707".clas. and "know-how"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:08
L14	4841	"know-how"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:07
L13	2	"6865571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:06
L8	78	quer\$3 with associate with (message annotation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:32
L7	9	quer\$3 near (session period) with (problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:29
L6	78	"707".clas. and query near threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:25
L5	213	query near threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:24
L4	106	"707".clas. and "query attempts"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:11
L3	106	"707".clas. and query adj attempts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:10

EAST Search History

L2	211	query adj attempts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 09:10
L1	74	query adj tries	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 08:59
S16 2	3	"479790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:43
S16 1	98	"know-how" same (quer\$4 search near (condition request) expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:34
S16 0	28	707/1-5.ccls. and "know-how" same (quer\$4 search (condition request) expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:34
S15 9	40	"707".clas. and "know-how" with (quer\$4 search (condition request) expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:08
S15 8	362	"know-how" with (quer\$4 search (condition request) expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:06
S15 7	769	"know-how" same (quer\$4 search (condition request) expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:06
S15 6	4840	"know-how"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:05
S15 5	100	"707".clas. and (collabor\$4 shar\$4) adj quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:02

EAST Search History

S15 4	710	(collabor\$4 shar\$4) adj quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 17:02
S15 3	1	"5590319".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:47
S15 2	1	"5696962".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:46
S15 1	1	"6112202".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:45
S15 0	1	"6098064".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:45
S14 9	1	"6175829".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:45
S14 8	1	"6434548".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:44
S14 7	1	"6493703".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:43
S14 6	1	"6618727".PN.	USPAT; USOCR	OR	ON	2008/02/08 16:43
S14 5	2	"6519603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:59
S14 4	8	(collabor\$4 shar\$4) near quer\$4 same annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:57
S14 3	144	(collabor\$4 shar\$4) near quer\$4 and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:56
S14 2	946	(collabor\$4 shar\$4) near quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:56
S14 1	48	long near run\$4 near quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:55
S14 0	105	long near2 run\$4 near3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:55

EAST Search History

S13 9	250694	long with run\$4 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:54
S13 8	1041	long near3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:54
S13 7	29	query near profiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:44
S13 6	2	10/650200	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:41
S13 5	2205	(query search expression) near3 (comment\$1 remark\$1 annotat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:39
S13 4	56	(query search) near1 period same (problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:33
S13 3	54	(query search) near1 session same (problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:27
S13 2	22	(query search) near1 session same (note\$1 remarks message annotat\$4) same (timeout time\$3 adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:26
S13 0	22	(query search) near1 session same (note\$1 remarks message annotat\$4) same (timeout time\$3 adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:04
S12 9	271	(query search) near1 session same (note\$1 remarks message annotat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 13:02

EAST Search History

S12 8	37	query with remark\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:57
S12 7	3	query near remark\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:57
S12 6	71	(problem trouble) near ticket with (query search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:52
S12 5	54	707/1-5.ccls. and (query search request) same (problem trouble error warning) same (message note annotat\$5 comment) same (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:43
S12 3	17	"707".clas. and (query search request) same (problem trouble error warning) same (message note annotat\$5 comment) same exceed\$4 near1 (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:35
S12 2	180	"707".clas. and (query search request) same (problem trouble error warning) same (message note annotat\$5 comment) same (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:34
S12 1	220	(query search request) with (problem trouble error warning) with(message note annotat\$5 comment) with (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:34
S12 0	424	(query search request) with (problem trouble error warning) with(message note annotat\$5 comment) same (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:33
S11 9	700	(query search request) with (problem trouble error warning) same (message note annotat\$5 comment) same (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:33
S11 8	2225	(query search request) same (problem trouble error warning) same (message note annotat\$5 comment) same (threshold limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:33

EAST Search History

S11 7	34407	(query search request) same (problem trouble error warning) same (message note annotat\$5 comment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:32
S11 6	2	"5,309,359".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:59
S11 5	12	query near2 annotat\$4 same (problem trouble\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:55
S11 4	2	query near2 annotat\$4 with describ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:54
S11 3	338	query near2 annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:40
S11 2	19	query near warning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:39
S10 9	45102	(quer\$4 search adj condition) with (associat\$4 store\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:37
S10 8	442	(quer\$4 search adj condition) near problem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:36
S10 7	11877	(quer\$4 search adj condition) same problem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:36
S10 6	407	quer\$4 same error near handl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:32

EAST Search History

S105	967406	synch\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:30
S104	11	(query search adj condition) same similar same avoid\$4 same prompt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:01
S103	389	(query search adj condition) same similar same avoid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:01
S102	7	(query search adj condition) same measur\$4 adj use	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:56
S101	7918	(query search adj condition) same measur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:55
S100	149	query same warning near message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:48
S99	56	query near3 counter same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:41
S98	495	query near3 counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 16:41
S97	50	("5761496" "5819264" "6148286" "6292830" "6393423" "6457024" "20040193586" "5740421" "5862223" "5884303" "6018761" "6154213" "6424358" "6578022" "7069254" "7171418" "20020184266" "20030195770" "20040010484" "20050050173" "20060129536" "20060200556" "20070067275" "20070067338" "20070130018" "20070150464" "20070150465" "20070150466" "20070150470" "20070150515" "5576965" "6086617" "20060167630" "5628008" "5261065" "5323316" "5369577" "5404507" "5689547" "5708829" "5717925" "5774824" "5884309" "5899989" "5909686" "5933604" "5943611" "5946665" "6161025" "6175831").pn.	US-PGPUB; USPAT	OR	ON	2008/02/07 15:52

EAST Search History

S96	91	("5761496" "5819264" "6148286" "6292830" "6393423" "6457024" "20040193586" "5740421" "5862223" "5884303" "6018761" "6154213" "6424358" "6578022" "7069254" "7171418" "20020184266" "20030195770" "20040010484" "20050050173" "20060129536" "20060200556" "20070067275" "20070067338" "20070130018" "20070150464" "20070150465" "20070150466" "20070150470" "20070150515" "5576965" "6086617" "20060167630" "5628008" "5261065" "5323316" "5369577" "5404507" "5689547" "5708829" "5717925" "5774824" "5884309" "5899989" "5909686" "5933604" "5943611" "5946665" "6161025" "6175831").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:52
S95	69	problem near message with (query search (condition request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:49
S94	1318	problem near message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:49
S93	12	S27 and ((start\$3 begin\$4) near2 (end finish\$4)) same (quer\$4 search\$4) with count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:44
S92	155	((start\$3 begin\$4) near2 (end finish\$4)) same (quer\$4 search\$4) with count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:43
S91	480	((start\$3 begin\$4) near2 (end finish\$4)) same (quer\$4 search\$4) same count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:42
S89	6618	((start\$3 begin\$4) near2 (end finish\$4)) same (quer\$4 search\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:41
S88	26039	((start\$3 begin\$4) same (end finish\$4)) same (quer\$4 search\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:41
S87	23	query with troublesome	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 15:31

EAST Search History

S86	162	query with trouble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:44
S85	52	(quer\$4 search adj condition) same problem near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:31
S84	1221	(quer\$4 search adj condition) and problem near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:31
S83	203	query adj limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:19
S82	168	"stier et al"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:40
S81	104	(query search) near interval same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:35
S80	1185	(query search) near interval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:35
S79	35	(query search) near measur\$4 same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:33
S78	7	query near analyzing same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:31
S77	526	query near analyzing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:31

EAST Search History

S76	68	query near logging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:24
S75	99	problem same (data adj base knowledge adj base database base) same time near2 threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:23
S74	3850	problem same (data adj base knowledge adj base database base) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 12:22
S73	134	query adj session and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:54
S72	410	query adj session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:54
S71	550	query near session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:54
S70	71	query near count\$3 same (limit threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:50
S69	452	query near count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:49
S68	239	search with threshold same problem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:39
S67	9589	search with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:39

EAST Search History

S66	104	associat\$5 near2 quer\$4 with (suggestion recommend\$5 notes! "know-how" tip\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:34
S65	209	associat\$5 with quer\$4 with (suggestion recommend\$5 notes! "know-how" tip\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:33
S64	34	knowledge near1 base near1 use same (measur\$5 monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:29
S63	296	knowledge near1 base near1 use	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:29
S62	2159	knowledge near1 use	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:29
S61	22	(search quer\$4) with threshold with time same feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:19
S60	1812	(search quer\$4) with threshold with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:18
S59	14819	(search quer\$4) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:18
S58	45	search with problem with (annotat\$5 comment note memo message) and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:12
S57	249	search with problem with (annotat\$5 comment note memo message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:11

EAST Search History

S56	103	search with problem with (annotat\$5 comment note memo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:11
S55	0	(measur\$4 monitor\$4) with \$4base with use same (improv\$4 enhanc\$5) and stier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:09
S54	82	(measur\$4 monitor\$4) with \$4base with use same (improv\$4 enhanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:07
S53	16	(measur\$4 monitor\$4) near2 \$4base with use same (improv\$4 enhanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:05
S52	15	(measur\$4 monitor\$4) near2 \$4base with use same (improv\$4 enhanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:04
S51	10	(measur\$4 monitor\$4) near2 \$4base with use same improv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:03
S50	361	(measur\$4 monitor\$4) near2 \$4base with use	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:03
S49	15	S27 and S48 and search\$4 near1 (period time) with exceed\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:52
S48	254	search\$4 near1 (period time) with exceed\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:52
S47	3	search\$4 near1 processing near (period time) with exceed\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:51

EAST Search History

S46	282	search\$4 near1 processing near (period time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:51
S45	44	measure near3 (quer\$4 search (condition request)) and query near count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:45
S44	173	measure near3 (quer\$4 search (condition request)) and problem with describ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:36
S43	21099	measure near3 (quer\$4 search (condition request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:36
S42	134	search near notes!	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:22
S41	23	search near notes same (recommend\$4 suggest\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:21
S40	835	search near notes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:21
S39	26	knowledge near monitor\$4 same use	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:18
S38	237	knowledge near monitor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:18
S37	36	search near problem\$4 same monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:12

EAST Search History

S36	1699	search near problem\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:11
S35	27	search near strateg\$4 with (suggest\$3 recommend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:10
S34	6	search near strateg\$4 with (suggest recommend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:09
S33	5	stier near sharon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:07
S32	1967	stier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:06
S31	144	query near metric\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:48
S30	113	702/186;706/50;707/1-5.ccls. and search\$4 near (period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:34
S29	20	702/186;706/50;707/1-5.ccls. and search\$4 near (limit threshold period) same problem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:28
S28	686	702/186;706/50;707/1-5.ccls. and search\$4 near (limit threshold period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:28
S27	21054	702/186;706/50;707/1-5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:27

EAST Search History

S26	89	(quer\$2 search adj (request condition)) near2 (monitor\$4 logg\$4) same (problem threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:11
S25	1365	(quer\$2 search adj (request condition)) near2 (monitor\$4 logg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:11
S24	14	brown.in. and query near1 monitor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:09

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[rtimblin@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)[Google](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **543,000** for **identifies problematic queries**. (0.31 seconds)**Using Profiler to Identify Poorly Performing Queries | WebProNews** - Feb 8

But because you have now **identified** and prioritized these **problematic queries**, your time will be much more efficiently spent. ...

[www.webpronews.com/topnews/2005/01/](http://www.webpronews.com/topnews/2005/01/12/using-profiler-to-identify-poorly-performing-queries)

[12/using-profiler-to-identify-poorly-performing-queries](#) - 29k -

[Cached](#) - [Similar pages](#) - [Note this](#)

OSC V1.1 - Reactive tuning—optimization tools for problem SQL queries - Feb 8

After you have **identified** a **problem query** you can run the statistics advisor, which provides advice about statistics that you should update or collect to ...

[publib.boulder.ibm.com/infocenter/](http://publib.boulder.ibm.com/infocenter/dzichelp/v2r2/topic/com.ibm.db29.doc.osc/osccgfqry.htm)

dzichelp/v2r2/topic/com.ibm.db29.doc.osc/osccgfqry.htm - 8k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Database Journal: Oracle Database Administration News, Articles ...

Compare the **identified problem** to the common performance problems **identified** by Oracle in the Oracle9i Database ... 17 Tips for Avoiding **Problematic Queries** ...

www.databasejournal.com/features/oracle/print.php/3548291 - 69k -

[Cached](#) - [Similar pages](#) - [Note this](#)

XML Query Test Suite

The XML **Query** Test Suite (XQTS) provides a set of metrics for determining whether Clearly **identify** the test case or test cases that are **problematic**. ...

www.w3.org/XML/Query/test-suite/ - 16k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] White Paper on Long Running Query identification - Feb 8

File Format: PDF/Adobe Acrobat

identification of slow and possibly **problematic queries**. Having a method to **identify** problems is half the battle when it comes to proactively managing that ...

www.comp-soln.com/QEP_whitepaper.pdf - [Similar pages](#) - [Note this](#)

Defining Performance Expectations

During your physical design phase, you need to **identify** the fact that you have a potential **problem query**, with expected results that are unacceptable, ...

www.valdosta.edu/~sfares/cs499/cs499.d.chapter10.a.wi8.html - 19k -

[Cached](#) - [Similar pages](#) - [Note this](#)

LNAI 4027 - Term Disambiguation in Natural Language Query for XML

reformulate **queries** successfully in these cases with the help of **identified problematic**. words, suggested terms, and examples. Example 3 (Mixed Failures) ...

www.springerlink.com/index/l8283q62568672p2.pdf - [Similar pages](#) - [Note this](#)

LECCOTECH and Ambeo Form Strategic Partnership to Deliver Optimal ...

This relationship allows **problematic queries identified** by either Ambeo's Usage

Tracker or Activity Tracker to be submitted to LECCO SQL Expert for...
findarticles.com/p/articles/mi_m0EIN/is_2003_April_4/ai_99604543 - 33k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PPT] ASE121 Adaptive Server Enterprise--Recent Developments and Future ...

File Format: Microsoft Powerpoint - [View as HTML](#)

Monitors SQL **queries** in running server; **Identifies** "problematic" SQL according to customized standards; Determines all semantically equivalent alternative ...
download.sybase.com/presentation/2003_presentations/ASE121.ppt -
[Similar pages](#) - [Note this](#)

[PDF] Natural Language **Query System for RDF Repositories**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Natural **Query** System. Natural **Query** (NQ) system is our proof of. concept realization of an architecture that solves. the **problem identified** in the previous ...
research.nokia.com/files/SNLP.camera.pdf - [Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |
[Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L29	105	quer\$4 with threshold with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:54
L28	4	quer\$4 with count\$3 with (attempt trys) with (fail\$4 error problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:48
L26	109	707/1-5.ccls. and quer\$4 with (attempt trys) with (fail\$4 error problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:46
L25	158	"707".clas. and quer\$4 with (attempt trys) with (fail\$4 error problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:46
L24	432	quer\$4 with (attempt trys) with (fail\$4 error problem trouble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:46
L23	51	quer\$4 near3 count\$4 with (problem trouble error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:08
L22	63	excessive near2 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:01
L19	19	query near warn\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 11:27
L18	90	problem with query same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:26
L17	246	problem same query same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 10:25